

Course Notes

Multivariable Calculus, Fall 2017

Queens College, Math 201

Prof. Christopher Hanusa

<http://qc.edu/~chanusa/courses/201/17/>

Class Introductions

Arrange yourselves into groups of four or five people,
With people you **don't know**.

- ▶ Introduce yourself. (your name, where you're from, your major)
- ▶ What brought you to this class?
- ▶ Fill out **the blank side of** your notecard:
 - ▶ Write your name. (Stylize if you wish.)
 - ▶ Write some words about how I might remember you & your name.
 - ▶ *Draw* something (anything!) in the remaining space.
- ▶ *Small talk suggestion:* What kept you busy this summer?
- ▶ Exchange contact information. (phone / email / other)

Class Introductions

Arrange yourselves into groups of four or five people,
With people you **don't know**.

- ▶ Introduce yourself. (your name, where you're from, your major)
- ▶ What brought you to this class?
- ▶ Fill out **the blank side of** your notecard:
 - ▶ Write your name. (Stylize if you wish.)
 - ▶ Write some words about how I might remember you & your name.
 - ▶ *Draw* something (anything!) in the remaining space.
- ▶ *Small talk suggestion*: What kept you busy this summer?
- ▶ Exchange contact information. (phone / email / other)
- ▶ **Discuss!** What is *Calculus*?
 - ▶ Brainstorm! How do you convey *Calculus* to friends?
 - ▶ Organize into themes.

Class Introductions

Arrange yourselves into groups of four or five people,
With people you **don't know**.

- ▶ Introduce yourself. (your name, where you're from, your major)
- ▶ What brought you to this class?
- ▶ Fill out **the blank side of** your notecard:
 - ▶ Write your name. (Stylize if you wish.)
 - ▶ Write some words about how I might remember you & your name.
 - ▶ *Draw* something (anything!) in the remaining space.
- ▶ *Small talk suggestion:* What kept you busy this summer?
- ▶ Exchange contact information. (phone / email / other)
- ▶ **Discuss!** What is *Calculus*?
 - ▶ Brainstorm! How do you convey *Calculus* to friends?
 - ▶ Organize into themes.
- ▶ How do these ideas translate to *multivariable* calculus?

To do well in this class:

- ▶ **Form good study groups !!!!!!!**
 - ▶ **Discuss** classwork and homework. Study for exams.
 - ▶ Bounce around ideas, topics, questions.
 - ▶ You will depend on this group.

To do well in this class:

- ▶ **Form good study groups !!!!!!!**
 - ▶ **Discuss** classwork and homework. Study for exams.
 - ▶ Bounce around ideas, topics, questions.
 - ▶ You will depend on this group.
- ▶ **Put in the time.**
 - ▶ Four credits = (at least) twelve hours / week out of class.
 - ▶ Homework stresses key concepts from class; learning takes time.

To do well in this class:

- ▶ **Form good study groups !!!!!!!**
 - ▶ **Discuss** classwork and homework. Study for exams.
 - ▶ Bounce around ideas, topics, questions.
 - ▶ You will depend on this group.
- ▶ **Put in the time.**
 - ▶ Four credits = (at least) twelve hours / week out of class.
 - ▶ Homework stresses key concepts from class; learning takes time.
- ▶ **Come to class prepared.**
 - ▶ **Review** previous day's sections, notes.
 - ▶ **Do** the homework & prepare to present.
 - ▶ **Preview** the new day's sections. Download notes!

To do well in this class:

- ▶ **Form good study groups !!!!!!!**
 - ▶ **Discuss** classwork and homework. Study for exams.
 - ▶ Bounce around ideas, topics, questions.
 - ▶ You will depend on this group.
- ▶ **Put in the time.**
 - ▶ Four credits = (at least) twelve hours / week out of class.
 - ▶ Homework stresses key concepts from class; learning takes time.
- ▶ **Come to class prepared.**
 - ▶ **Review** previous day's sections, notes.
 - ▶ **Do** the homework & prepare to present.
 - ▶ **Preview** the new day's sections. Download notes!
- ▶ **Stay in contact.**
 - ▶ If you are confused, ask questions (in class and out).
 - ▶ Don't fall behind in coursework or homework.
 - ▶ I need to understand your concerns.

To do well in this class:

- ▶ **Form good study groups !!!!!!!**
 - ▶ **Discuss** classwork and homework. Study for exams.
 - ▶ Bounce around ideas, topics, questions.
 - ▶ You will depend on this group.
- ▶ **Put in the time.**
 - ▶ Four credits = (at least) twelve hours / week out of class.
 - ▶ Homework stresses key concepts from class; learning takes time.
- ▶ **Come to class prepared.**
 - ▶ **Review** previous day's sections, notes.
 - ▶ **Do** the homework & prepare to present.
 - ▶ **Preview** the new day's sections. Download notes!
- ▶ **Stay in contact.**
 - ▶ If you are confused, ask questions (in class and out).
 - ▶ Don't fall behind in coursework or homework.
 - ▶ I need to understand your concerns.

All homeworks posted online; first one (many parts) due Wednesday.

Homework policy:

There are two types of homework in this class:

- ▶ **Daily:** Written / Presentation Homework.
 - ▶ A list of questions from the textbook to practice.
 - ▶ If a question is hard, you should practice **more** like it.

Homework policy:

There are two types of homework in this class:

- ▶ **Daily:** Written / Presentation Homework.
 - ▶ A list of questions from the textbook to practice.
 - ▶ If a question is hard, you should practice **more** like it.
 - ▶ Presentations at beginning of the next class.
 - ▶ Write up solution in bullet-point format.
 - ▶ Present the solution to the class & answer questions.

Homework policy:

There are two types of homework in this class:

- ▶ **Daily:** Written / Presentation Homework.
 - ▶ A list of questions from the textbook to practice.
 - ▶ If a question is hard, you should practice **more** like it.
 - ▶ Presentations at beginning of the next class.
 - ▶ Write up solution in bullet-point format.
 - ▶ Present the solution to the class & answer questions.
 - ▶ One of only two bonus point opportunities in this class.
 - ▶ Starts Wednesday August 30! (+ Blackboard quiz)

Homework policy:

There are two types of homework in this class:

- ▶ **Daily:** Written / Presentation Homework.
 - ▶ A list of questions from the textbook to practice.
 - ▶ If a question is hard, you should practice **more** like it.
 - ▶ Presentations at beginning of the next class.
 - ▶ Write up solution in bullet-point format.
 - ▶ Present the solution to the class & answer questions.
 - ▶ One of only two bonus point opportunities in this class.
 - ▶ Starts Wednesday August 30! (+ Blackboard quiz)
- ▶ **Weekly:** Online Homework.
 - ▶ Using online homework called **Webwork**.
 - ▶ Link on webpage to:
<http://192.195.176.176/webwork2/QC201/>
 - ▶ **Your username: Your Last Name.** (like Hanusa)
 - ▶ Initial password: CUNYFirst ID # (like 10111213)


Homework policy:

There are two types of homework in this class:

- ▶ **Daily:** Written / Presentation Homework.
 - ▶ A list of questions from the textbook to practice.
 - ▶ If a question is hard, you should practice **more** like it.
 - ▶ Presentations at beginning of the next class.
 - ▶ Write up solution in bullet-point format.
 - ▶ Present the solution to the class & answer questions.
 - ▶ One of only two bonus point opportunities in this class.
 - ▶ Starts Wednesday August 30! (+ Blackboard quiz)
- ▶ **Weekly:** Online Homework.
 - ▶ Using online homework called **Webwork**.
 - ▶ Link on webpage to:
<http://192.195.176.176/webwork2/QC201/>
 - ▶ **Your username: Your Last Name.** (like Hanusa)
 - ▶ Initial password: CUNYFirst ID # (like 10111213)
 - ▶ First assignment due Wednesday September 6. (13 Qs)
 - ▶ * Get started early! *


Parametric Curves

Imagine a particle traveling along this curve.




Parametric Curves

Imagine a particle traveling along this curve.
Is the curve a function?



Parametric Curves

Imagine a particle traveling along this curve.
Is the curve a function? ($y = f(x)$)




Parametric Curves

Imagine a particle traveling along this curve.

Is the curve a function? ($y = f(x)$?)

As an alternative, we can write the x -coordinate and the y -coordinate of the particle as a function of “time”.

(Write $x = f(t)$ and $y = g(t)$.)



Parametric Curves


Imagine a particle traveling along this curve.

Is the curve a function? ($y = f(x)$?)

As an alternative, we can write the x -coordinate and the y -coordinate of the particle as a function of “time”.

(Write $x = f(t)$ and $y = g(t)$.)

This pair of functions is called the **parametric equations** of the curve.



Parametric Curves

Imagine a particle traveling along this curve.


Is the curve a function? ($y = f(x)$?)

As an alternative, we can write the x -coordinate and the y -coordinate of the particle as a function of “time”.

(Write $x = f(t)$ and $y = g(t)$.)

This pair of functions is called the **parametric equations** of the curve.

And the variable t is called a **parameter**.



Parametric Curves

Imagine a particle traveling along this curve.

Is the curve a function? ($y = f(x)$)?


As an alternative, we can write the x -coordinate and the y -coordinate of the particle as a function of “time”.

(Write $x = f(t)$ and $y = g(t)$.)

This pair of functions is called the **parametric equations** of the curve.

And the variable t is called a **parameter**.

(Mathematica)



Parametric Curves

Imagine a particle traveling along this curve.

Is the curve a function? ($y = f(x)$)?


As an alternative, we can write the x -coordinate and the y -coordinate of the particle as a function of “time”.

(Write $x = f(t)$ and $y = g(t)$.)

This pair of functions is called the **parametric equations** of the curve.

And the variable t is called a **parameter**. (Mathematica)

Note: The **domain** of t is often $(-\infty, \infty)$ or an interval $a \leq t \leq b$.



Parametric Curves

Imagine a particle traveling along this curve.

Is the curve a function? ($y = f(x)$)?

As an alternative, we can write the x -coordinate and the y -coordinate of the particle as a function of “time”.

(Write $x = f(t)$ and $y = g(t)$.)


This pair of functions is called the **parametric equations** of the curve.

And the variable t is called a **parameter**. (Mathematica)

Note: The **domain** of t is often $(-\infty, \infty)$ or an interval $a \leq t \leq b$.

Goal 1: *Understand* parametric curves. (Today)

Goal 2: *Do calculus* using parametric curves. (Next time)




Sketching Parametric Curves

What is the shape of a curve given by parametric equations?

- ▶ By hand
- ▶ Use a calculator or computer

Example. Plot the curve defined by $x(t) = t^2 - 2t$ and $y(t) = t + 1$.




Sketching Parametric Curves

What is the shape of a curve given by parametric equations?

- ▶ By hand ← How do you plot $y = f(x)$?
- ▶ Use a calculator or computer

Example. Plot the curve defined by $x(t) = t^2 - 2t$ and $y(t) = t + 1$.




Sketching Parametric Curves

What is the shape of a curve given by parametric equations?

- ▶ By hand ← How do you plot $y = f(x)$?
- ▶ Use a calculator or computer

Example. Plot the curve defined by $x(t) = t^2 - 2t$ and $y(t) = t + 1$.

t	-1	0	1	2	3	4
$x(t)$						
$y(t)$						



The shape of the curve is _____.


Sketching Parametric Curves

What is the shape of a curve given by parametric equations?

- ▶ By hand ← How do you plot $y = f(x)$?
- ▶ Use a calculator or computer

Example. Plot the curve defined by $x(t) = t^2 - 2t$ and $y(t) = t + 1$.

t	-1	0	1	2	3	4
$x(t)$						
$y(t)$						



The shape of the curve is _____.

Should we have known this?


Sketching Parametric Curves

What is the shape of a curve given by parametric equations?

- ▶ By hand ← How do you plot $y = f(x)$?
- ▶ Use a calculator or computer

Example. Plot the curve defined by $x(t) = t^2 - 2t$ and $y(t) = t + 1$.

t	-1	0	1	2	3	4
$x(t)$						
$y(t)$						



The shape of the curve is _____.

Should we have known this?

Key concept: Eliminate the parameter t to combine $x = f(t)$ and $y = g(t)$ into a “normal” function $y = F(x)$ or $x = F(y)$.


Sketching Parametric Curves

What is the shape of a curve given by parametric equations?

- ▶ By hand ← How do you plot $y = f(x)$?
- ▶ Use a calculator or computer

Example. Plot the curve defined by $x(t) = t^2 - 2t$ and $y(t) = t + 1$.

t	-1	0	1	2	3	4
$x(t)$						
$y(t)$						



The shape of the curve is _____.

Should we have known this?

Key concept: Eliminate the parameter t to combine $x = f(t)$ and $y = g(t)$ into a “normal” function $y = F(x)$ or $x = F(y)$.

Solve for t in second equation: $t = y - 1$ and plug in:

$x = (y - 1)^2 - 2(y - 1) = y^2 - 4y + 3$, a “sideways parabola”.

Around and Around

Example. Plot the curve defined by
 $x = \cos t$, $y = \sin t$, $0 \leq t \leq 2\pi$.

Around and Around

Example. Plot the curve defined by
 $x = \cos t$, $y = \sin t$, $0 \leq t \leq 2\pi$.

Plot points or **solve directly**.

$$y = \sin(\cos^{-1} x)$$

Around and Around

Example. Plot the curve defined by
 $x = \cos t, y = \sin t, 0 \leq t \leq 2\pi$.

Plot points or **solve directly**.

$$y = \sin(\cos^{-1} x)$$

$$y = \sqrt{1 - x^2}$$

Around and Around

Example. Plot the curve defined by
 $x = \cos t$, $y = \sin t$, $0 \leq t \leq 2\pi$.

Plot points or **solve directly**.

$$y = \sin(\cos^{-1} x)$$

$$y = \sqrt{1 - x^2}$$

$$y^2 = 1 - x^2$$

$$x^2 + y^2 = 1$$

Around and Around

Example. Plot the curve defined by
 $x = \cos t$, $y = \sin t$, $0 \leq t \leq 2\pi$.


Plot points or **solve directly**.

$$y = \sin(\cos^{-1} x)$$

$$y = \sqrt{1 - x^2}$$

$$y^2 = 1 - x^2$$

$$x^2 + y^2 = 1$$



A circle! But you knew that.
 $\cos^2 t + \sin^2 t = 1$

Around and Around

Example. Plot the curve defined by
 $x = \cos t$, $y = \sin t$, $0 \leq t \leq 2\pi$.

Plot points or **solve directly**.

$$y = \sin(\cos^{-1} x)$$

$$y = \sqrt{1 - x^2}$$

$$y^2 = 1 - x^2$$

$$x^2 + y^2 = 1$$



A circle! But you knew that.
 $\cos^2 t + \sin^2 t = 1$

Starts at $t = 0$: $(1, 0)$ and goes
around counterclockwise.

Around and Around

Example. Plot the curve defined by
 $x = \cos t$, $y = \sin t$, $0 \leq t \leq 2\pi$.

Plot points or **solve directly**.

$$y = \sin(\cos^{-1} x)$$

$$y = \sqrt{1 - x^2}$$

$$y^2 = 1 - x^2$$

$$x^2 + y^2 = 1$$



A circle! But you knew that.
 $\cos^2 t + \sin^2 t = 1$

Starts at $t = 0$: $(1, 0)$ and goes
 around counterclockwise.

Example. Is this the same as
 $x = \cos 2t$, $y = \sin 2t$, $0 \leq t \leq 2\pi$?

Around and Around

Example. Plot the curve defined by
 $x = \cos t$, $y = \sin t$, $0 \leq t \leq 2\pi$.


Plot points or **solve directly**.

$$y = \sin(\cos^{-1} x)$$

$$y = \sqrt{1 - x^2}$$

$$y^2 = 1 - x^2$$


$$x^2 + y^2 = 1$$



A circle! But you knew that.
 $\cos^2 t + \sin^2 t = 1$

Starts at $t = 0$: $(1, 0)$ and goes
 around counterclockwise.

Example. Is this the same as
 $x = \cos 2t$, $y = \sin 2t$, $0 \leq t \leq 2\pi$?



Question: What is $x^2 + y^2$?

Around and Around

Example. Plot the curve defined by
 $x = \cos t$, $y = \sin t$, $0 \leq t \leq 2\pi$.

Plot points or **solve directly**.

$$y = \sin(\cos^{-1} x)$$

$$y = \sqrt{1 - x^2}$$

$$y^2 = 1 - x^2$$


$$x^2 + y^2 = 1$$



A circle! But you knew that.
 $\cos^2 t + \sin^2 t = 1$

Starts at $t = 0$: $(1, 0)$ and goes
 around counterclockwise.

Example. Is this the same as
 $x = \cos 2t$, $y = \sin 2t$, $0 \leq t \leq 2\pi$?



Question: What is $x^2 + y^2$?

The figures traced out (the curves)
 are the same but the functions **are**
not the same.

Around and Around

Example. Plot the curve defined by
 $x = \cos t$, $y = \sin t$, $0 \leq t \leq 2\pi$.

Plot points or **solve directly**.

$$y = \sin(\cos^{-1} x)$$

$$y = \sqrt{1 - x^2}$$

$$y^2 = 1 - x^2$$


$$x^2 + y^2 = 1$$



A circle! But you knew that.
 $\cos^2 t + \sin^2 t = 1$

Starts at $t = 0$: $(1, 0)$ and goes
 around counterclockwise.

Example. Is this the same as
 $x = \cos 2t$, $y = \sin 2t$, $0 \leq t \leq 2\pi$?



Question: What is $x^2 + y^2$?

The figures traced out (the curves)
 are the same but the functions **are**
not the same.

You need to know your trig functions and values at certain points!!!!

Circumnavigation

If we want to draw a circle at some other place

$$(x - h)^2 + (y - k)^2 = r^2,$$

set $x - h = r \cos t$ and $y - k = r \sin t$.

Circumnavigation

If we want to draw a circle at some other place

$$(x - h)^2 + (y - k)^2 = r^2,$$

set $x - h = r \cos t$ and $y - k = r \sin t$.

In other words, use the parametric equations

$$x(t) = r \cos t + h \quad \text{and} \quad y(t) = r \sin t + k.$$

Circumnavigation

If we want to draw a circle at some other place

$$(x - h)^2 + (y - k)^2 = r^2,$$

set $x - h = r \cos t$ and $y - k = r \sin t$.

In other words, use the parametric equations

$$x(t) = r \cos t + h \quad \text{and} \quad y(t) = r \sin t + k.$$

Try it out! Get out your graphing calculator TI-(≤ 86).

Switch to Parametric mode: `MODE` ↓ ↓ ↓ `PAR` (`Enter`).

Set the domain of T to be from 0 to 2π .

`WINDOW`: `Tmin` = 0, `Tmax` = 2π , `Tstep` = $\pi/10$.

Enter the equations $X_1 = 3 \cos(T) + 2$ and $Y_1 = 3 \sin(T) + 4$.

This plots a circle of radius 3 centered at (2, 4).

Computers to the rescue

Calculators and computers can graph much more complicated curves.

$$x_1(t) = t + 2 \sin(2t) \quad \text{and} \quad y_1(t) = t + 2 \cos(5t)$$

$$x_2(t) = 1.5 \cos t - \cos 30t \quad \text{and} \quad y_2(t) = 1.5 \sin t - \sin 30t$$

$$x_3(t) = \sin(t + \cos 100t) \quad \text{and} \quad y_3(t) = \cos(t + \sin 100t)$$

Computers to the rescue

Calculators and computers can graph much more complicated curves.

$$x_1(t) = t + 2 \sin(2t) \quad \text{and} \quad y_1(t) = t + 2 \cos(5t)$$

$$x_2(t) = 1.5 \cos t - \cos 30t \quad \text{and} \quad y_2(t) = 1.5 \sin t - \sin 30t$$

$$x_3(t) = \sin(t + \cos 100t) \quad \text{and} \quad y_3(t) = \cos(t + \sin 100t)$$

Tools:

- ▶ Wolfram Alpha <http://www.wolframalpha.com/>
- ▶ More powerful is Wolfram *Mathematica*. Get license from MyQC: myqc.qc.cuny.edu/Academics/mathematics/Pages3/access.aspx
- ▶ Online plotter: desmos.com Put $(f(t), g(t))$ in parentheses.
<https://www.desmos.com/calculator/ndgy5rppqh>

Computers to the rescue

Calculators and computers can graph much more complicated curves.

$$x_1(t) = t + 2 \sin(2t) \quad \text{and} \quad y_1(t) = t + 2 \cos(5t)$$

$$x_2(t) = 1.5 \cos t - \cos 30t \quad \text{and} \quad y_2(t) = 1.5 \sin t - \sin 30t$$

$$x_3(t) = \sin(t + \cos 100t) \quad \text{and} \quad y_3(t) = \cos(t + \sin 100t)$$

Tools:

- ▶ Wolfram Alpha <http://www.wolframalpha.com/>
- ▶ More powerful is Wolfram *Mathematica*. Get license from MyQC: myqc.qc.cuny.edu/Academics/mathematics/Pages3/access.aspx
- ▶ Online plotter: [desmos.com](https://www.desmos.com) Put $(f(t), g(t))$ in parentheses.
<https://www.desmos.com/calculator/ndgy5rppqh>

Next time: What is the shape of a parametric curve? What is the length of a parametric curve? What about polar coordinates?

Before then: Work on homework to present in class Wednesday. Email me contact info, do syllabus quiz. Play with parametric eqns.